

**REMARKS**

Claims 1-17 are pending in this application.

Claim 17 has been newly added. Support for claim 17 appears throughout the specification, Examples, and claims as originally filed.

Claims 1-16 have been rejected.

The Examiner and her Supervisor are thanked for conducting an interview with the undersigned attorney on Thursday, March 6, 2008. During the interview, it was submitted that glycolide is a completely different molecule than polyglycolide, and that the term "glycolide" is art recognized and is a **cyclic dimer** of glycolic acid. Applicants note that the term "glycolide" is defined in the present specification at page 2, lines 31-33, as "Glycolide is a cyclic dimer of glycolic acid, containing two ester groups which upon contact with an aqueous environment are hydrolyzed, resulting in two glycolic acid molecules," and at page 5, lines 3-4, as "The glycolide of the formulation includes two glycolic acid monomers and is primarily non-acidic prior to hydrolysis." During the interview, the Examiner inquired whether glycolide alone reduces pH. The present specification describes that glycolide alone reduces pH in a menstruating vagina or in a tampon inserted therein. Please see the present specification at page 2, lines 31-33; page 3, lines 6-9; Figures 3, 4 and 6 which illustrate, in part, the pH lowering effect of glycolide alone; Page 4, line 27; Page 5, lines 3-4 and 25-29; and the Examples.

In view of the following, further and favorable consideration is respectfully requested.

***I. At page 2 of the Official Action, claims 1-16, have been rejected under 35 USC §103(a) as being unpatentable over Kluger et al. in view of Zhao et al.***

The Examiner asserts that it would have been obvious to the skilled artisan to use a combination of the teachings of Kluger et al. along with the teachings of Zhao et al. to arrive at the claimed formulation because Kluger et al. describes a formulation for reducing the pH in a menstruating vagina by inserting a tampon made from solid organic acid polymer and solid organic acid and a wetting agent, and Zhao et al. teaches a flushable tampon applicator made from biodegradable components such as lactide copolymers and glycolide polymers.

In view of the remarks herein, this rejection is respectfully traversed.

To establish a *prima facie* case of obviousness, the PTO must satisfy three requirements. First, as the U.S. Supreme Court very recently held in *KSR International Co. v. Teleflex Inc. et al.*, Slip Opinion No. 04-1350, 550 U. S. \_\_\_\_ (April 30, 2007), "a court must ask whether the improvement is more than the predictable use of prior art elements according to their established functions. ...it [may] be necessary for a court to look to interrelated teachings of multiple patents; the effects of demands known to the design community or present in the marketplace; and the background knowledge possessed by a person having ordinary skill in the art, all in order to determine whether there was an apparent reason to combine the known elements in the fashion claimed by the patent at issue. ...it can be important to identify a reason that would have prompted a person of ordinary skill in the relevant field to combine the elements in the way the claimed new invention does... because inventions in most, if not all, instances rely upon building blocks long since uncovered, and claimed discoveries almost of necessity will be combinations of

what, in some sense, is already known." (*KSR, supra*, slip opinion at 13-15.) Second, the proposed modification of the prior art must have had a reasonable expectation of success, determined from the vantage point of the skilled artisan at the time the invention was made. *Amgen Inc. v. Chugai Pharm. Co.*, 18 USPQ2d 1016, 1023 (Fed. Cir. 1991). Lastly, the prior art references must teach or suggest all the limitations of the claims. *In re Wilson*, 165 USPQ 494, 496 (C.C.P.A. 1970).

Present claim 1 is directed to a formulation effective in reducing the pH in a menstruating vagina or in a tampon inserted therein to below pH 5.5, comprising: (a) 3-100% by weight of glycolide; (b) optionally, 97-15% by weight of a solid organic acid; and/or (c) optionally, 5-30% of a wetting agent. Glycolide is a **cyclic dimer** of glycolic acid, containing two ester groups which upon contact with an aqueous environment are hydrolyzed, resulting in two glycolic acid molecules (last paragraph on page 2 of the specification). Claims 2-10 and 12-15 are each directly or indirectly dependent on independent claim 1.

Present claim 11 is directed to a formulation effective in reducing the pH in a menstruating vagina or in a tampon inserted therein to below pH 5.5 comprising: (a) 3-100% by weight of glycolide; (b) optionally, 3-97% by weight of lactide; (c) optionally, 97-15% by weight of a solid organic acid; and (d) optionally, 5-30% of a wetting agent. Claim 16 is dependent on claim 11.

It is submitted that a *prima facie* case of obviousness has not been established because there is no motivation to combine Kluger et al. and Zhao et al., and because neither Kluger et al. nor Zhao et al. teach or suggest all the limitations of the claims as required by *In*

*re Wilson*, 165 USPQ 494, 496 (C.C.P.A. 1970). Specifically, neither Kluger et al. nor Zhao et al. teach or suggest a formulation containing the cyclic dimer, glycolide.

It is submitted that there is no motivation to combine Kluger et al. with Zhao et al. because Kluger et al. is directed to a formulation effective for reducing the pH in a menstruating vagina or in a tampon inserted therein to below pH 5.5, comprising in part, 3-80% by weight of a solid organic acid polymer, while Zhao et al. is directed to a tampon applicator comprising polyglycolide. A tampon consists of two major elements, a pledget containing the absorbent core which is inserted into the vaginal cavity to absorb menstrual fluid, and the applicator which is used to insert, i.e., guide and push the pledget into the vaginal cavity, after which the applicator is extracted and discarded several seconds after the tampon is inserted. Zhao et al. is concerned with a tampon applicator which does not remain in the vagina, has no relation to vaginal pH control and does not affect or alter the activity or properties of the tampon itself, whereas the presently claimed subject matter is concerned with a formulation for reducing the pH in a menstruating vagina or in a tampon inserted therein, as well as with a catamenial tampon comprising the formulation. Thus, Zhao et al. is not at all relevant to the field of the invention, and one of ordinary skill in the art reading Zhao et al. would not consider applying the teachings of Zhao et al. to the problem of reducing the pH in a menstruating vagina or in a tampon inserted therein. Nor would one of ordinary skill in the art consider combining Zhao et al. with Kluger et al., as they relate to two different arts, i.e. a tampon applicator (which is discarded) and a tampon, respectively.

Assuming arguendo the combination proper, neither Kluger et al. nor Zhao et al. teach or suggest all the limitations of the claims as required by *In re Wilson*.

Kluger et al. describes a formulation effective for reducing the pH in a menstruating vagina or in a tampon inserted therein to below pH 5.5, comprising in part, 3-80% by weight of a solid organic acid polymer. Kluger et al. **does not** teach or suggest the use of **glycolide**. In fact, the term "glycolide" **does not appear at all** in Kluger et al. One of ordinary skill in the art would have no reason to use glycolide for the solid organic acid polymer based on the disclosure of Kluger et al.

Zhao et al. does not remedy the deficiencies of Kluger et al. Zhao et al. describes flushable tampon applicators that comprise a combination of high molecular weight polyethylene oxides, low molecular weight polyethylene glycols, and biodegradable polymers that include glycolide polymers, including glycolide homopolymers and glycolide copolymers; and mixtures thereof, in order to manufacture an applicator so that it will be biodegradable/flushable such that when it is discarded, it will eventually degrade and not pollute the environment. Zhao et al. **does not** teach or suggest the use of **glycolide**, which, as stated above, is a **cyclic dimmer**. Zhao et al. does not relate at all to a pH reducing formulation.

Glycolide is a completely different molecule than polyglycolide or glycolide polymer. Glycolide has a different molecular structure and different properties than glycolide polymer. Glycolide is a small molecule, a cyclic molecule (a heterocyclic ring), while glycolide polymer is a linear polymer with a very high molecular weight. Further glycolide has a totally different

CAS number, totally different structure and molecular weight and the melting point of glycolide differs by an order of magnitude from that of glycolide polymer.

Applicants submit that the term "glycolide" is defined in the present specification as described above, and is art-recognized as described below.

The term "glycolide" is known in the art as a cyclic dimer of glycolic acid. See the Dictionary of Organic Compounds, 1,4-dioxane-2,5-dione; Names, Synonyms, and Structures of Organic Compounds, page 488; and SciFinder Scholar, 1,4-dioxane-2,5-dione. A copy of each of which is attached hereto. See also [www.sigma-aldrich.com](http://www.sigma-aldrich.com) "glycolide" (printout attached hereto) and [www.bio-invigor.com](http://www.bio-invigor.com) "GLY-S-001-1" (printout attached hereto).

Further, U.S. Patent Nos. 3,457,280 and 3,435,008 (attached hereto) both describe that two molecules of glycolic acid "may condense with the elimination of two molecules of water to produce glycolide, a six-membered ring of the formula  $C_4H_4O_4$ ...." U.S. Patent No. 5,374,743 describes at col. 1, lines 9-11, "The monomer used is lactide or glycolide which are cyclic dimers of lactic acid or glycolic acid and which are prepared from lactic acid or glycolic acid." See also U.S. Patent Nos. 6,891,048 and 7,235,673 attached hereto.

In view of the foregoing, the term "glycolide" is art-recognized and means a cyclic dimer of glycolic acid.

As shown in the Examples set forth in the present specification, the use of glycolide imparts significant advantages to the presently claimed formulation which advantages are not found in the formulation of Kluger et al. For example, in the formulation of Kluger et al., the solid organic acid and the wetting agent are required components, whereas in claim 1 of the present application, they are optional components, and if present, may be used in

the alternative. This is due to the unexpectedly superior pH reducing properties of glycolide (see Figs. 4 and 6 and the description in the paragraph bridging pages 7 and 8, and the 2<sup>nd</sup> full paragraph on page 8, of the present specification).

In view of the above, it is submitted that neither Kluger et al. nor Zhao et al., taken alone or together, teach or suggest a formulation including glycolide, as presently claimed.

In view of the foregoing, it is submitted nothing in Kluger et al. and Zhao et al., taken alone or in combination, renders the presently claimed subject matter obvious within the meaning of 35 U.S.C. § 103(a). Applicants respectfully submit a *prima facie* case of obviousness has not been established. Accordingly, the Examiner is respectfully requested to withdraw this rejection.


**CONCLUSION**

Applicants assert that the claims are in condition for immediate allowance and early notice to that effect is earnestly solicited. Should the Examiner deem that any further action by Applicants' undersigned representative is desirable and/or necessary, the Examiner is invited to telephone the undersigned at the number set forth below.

In the event this paper is not timely filed, Applicants petition for an appropriate extension of time. Please charge any fee deficiency or credit any overpayment to Deposit Account No. 14-0112.

Respectfully submitted,

**THE NATH LAW GROUP**



Gary M. Nath  
Registration No. 26,965  
Susanne M. Hopkins  
Registration No. 33,247  
Customer No. 20259

Date: March 20, 2008  
**THE NATH LAW GROUP**  
112 South West Street  
Alexandria, Virginia 22314  
Tel: (703) 548-6284  
Fax: (703) 683-8396



# Dictionary of Organic Compounds

SIXTH EDITION

VOLUME THREE

Dic-Exo

D-0-03159-E-0-01265



CHAPMAN & HALL

Electronic Publishing Division

London · Glasgow · Weinheim · New York · Tokyo · Melbourne · Madras

מאגזין המידע העברי  
לכימיה אורגנית

Published by Chapman & Hall, 2-6 Boundary Row, London SE1 8HN, UK

---

Chapman & Hall, 2-6 Boundary Row, London SE1 8HN, UK

Blackie Academic & Professional, Wester Cleddens Road, Bishopbriggs,  
Glasgow G64 2NZ, UK

Chapman & Hall, Pappelallee 3, 69469 Weinheim, Germany

Chapman & Hall USA, 115 Fifth Avenue, New York, NY 10003, USA

Chapman & Hall Japan, ITP-Japan, Kyowa Building, 3F, 2-2-1 Hirakawacho, Chiyoda-ku,  
Tokyo 102, Japan

Chapman & Hall Australia, 102 Dodds Street, South Melbourne, Victoria 3205, Australia

Chapman & Hall India, R. Seshadri, 32 Second Main Road, CIT East, Madras 600 035, India

---

First edition in three volumes published by

Eyre & Spottiswoode (Publishers) Ltd:

Volume I published 1934

Volume II published 1936

Volume III published 1937

Second edition of Volume I published 1943

Volumes II and III reprinted with supplement 1944

Volumes I, II and III reprinted 1947

Third edition in four volumes published 1953

Fourth edition in five volumes published 1965

Fifth edition in seven volumes published 1982 by Chapman and Hall

This Sixth edition in nine volumes published 1996

© 1996 Chapman & Hall

Typeset and printed in Great Britain at the University Press, Cambridge

ISBN 0 412 54090 8 (Nine volume set)

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the UK Copyright Designs and Patents Act, 1988, this publication may not be reproduced, stored, or transmitted, in any form or by any means, without the prior permission in writing of the publishers, or in the case of reprographic reproduction only in accordance with the terms of the licences issued by the Copyright Licensing Agency in the UK, or in accordance with the terms of licences issued by the appropriate Reproduction Rights Organization outside the UK. Enquiries concerning reproduction outside the terms stated here should be sent to the publishers at the London address printed on this page.

The publisher makes no representation, express or implied, with regard to the accuracy of the information contained in this book and cannot accept any legal responsibility or liability for any errors or omissions that may be made.

A catalogue record for this book is available from the British Library

Library of Congress Catalog Card Number: 94-69994

♾ Printed on acid-free text paper, manufactured in accordance with ANSI/NISO Z39.48-1992 (Permanence of Paper).

Crystallises in *trans*-form, equilibrates with the *cis*-form in soln.; *trans*-form predominates. Synthetic equivalent of anhydrous glyoxal. Cryst. (Me<sub>2</sub>CO). Mp 108-110° (100°).

Di-Ac: [15874-26-7].

C<sub>6</sub>H<sub>12</sub>O<sub>6</sub> M 204.1 Cryst. (Et<sub>2</sub>O). Mp 104-105°. Bp<sub>1</sub> 105-107°. Config. unknown.

Aldrich Library of FT-IR Spectra, 1st edn., 1, 250D (ir)

Head, F.S.H., J.C.S., 1955, 1036.


Raudnitz, H., Chem. Ind. (London), 1956, 166 (synth)

Summerbell, R.K. et al, J.A.C.S., 1958, 80, 604 (synth)

Ayras, P., Org. Magn. Reson., 1978, 11, 152 (struct, cmr)

Venuti, M.C., Synthesis, 1982, 61 (use)

**1,4-Dioxane-2,5-diol, 9CI D-0-11544**  
2,5-Dihydroxy-1,4-dioxane. Glycollaldehyde dimer  
[23147-58-2]



(2*RS*,5*RS*)-form

C<sub>6</sub>H<sub>12</sub>O<sub>6</sub> M 120.1

(1*RS*,5*RS*)-form  
(±)-*cis*-form

Di-Ac:

C<sub>6</sub>H<sub>12</sub>O<sub>6</sub> M 204.1 Bp<sub>1</sub> 100°.

(2*RS*,5*SR*)-form

*trans*-form

Cryst. (Et<sub>2</sub>O). Mp 84-85° (rapid heat), Mp 75-76°.

Di-Ac: [20688-60-2].

Mp 156-157° (161-162°).

[6963-05-9]


Aldrich Library of <sup>13</sup>C and <sup>1</sup>H FT NMR Spectra, 1, 748A (nmr)

Aldrich Library of FT-IR Spectra, 1st edn., 1, 478D (ir)

Späth, E. et al, Monatsh. Chem., 1946, 76, 65; CA, 41, 2002 (synth)

Bassignani, L. et al, Chem. Ber., 1979, 112, 148 (synth)

**1,4-Dioxane-2,5-dione, 9CI D-0-11545**  
Glycollidilactone. Glycollide. Glycolide  
[502-97-6]



C<sub>6</sub>H<sub>4</sub>O<sub>4</sub> M 116.0

Cryst. (EtOH). Mp 83°.

Johansson, H. et al, Ber., 1919, 52, 745 (synth)

Sporzynski, A. et al, Rec. Trav. Chim. (J. R. Neth. Chem. Soc.), 1949, 68, 613 (synth)

Goulden, D.S. et al, Org. Mass Spectrom., 1969, 2, 893 (ms)

**1,4-Dioxane-2,5-dione, 9CI D-0-11546**

Diglycollic anhydride. Anhydroglycollic anhydride

[4480-83-5]

C<sub>6</sub>H<sub>4</sub>O<sub>4</sub> M 116.0

One of the anhydrides of Hydroxyacetic acid, H-0-01593. Cryst. (C<sub>6</sub>H<sub>6</sub>). Mp 97° (91-93°). Bp<sub>35</sub> 140°, Bp<sub>12</sub> 120°.

Aldrich Library of FT-IR Spectra, 1st edn., 1, 722A (ir)

Aldrich Library of NMR Spectra, 2nd edn., 1, 610B (nmr)


Anschutz, R., Annalen, 1890, 259, 190 (synth)

Hurd, C.D. et al, J.A.C.S., 1939, 61, 3490 (synth)

Morrill, H.L. et al, J.O.C., 1961, 26, 4103 (synth)

Brise, F. et al, Acta Cryst. B, 1975, 31, 2829 (cryst struct)

**1,4-Dioxane-2-methanol, 9CI D-0-11547**  
2-(Hydroxymethyl)-1,4-dioxane  
[29908-11-0]



C<sub>7</sub>H<sub>14</sub>O<sub>3</sub> M 118.1

(±)-form [143669-41-4]

Liq. d<sub>20</sub> 1.16. Bp<sub>13</sub> 100-105°.

Wojtowicz, J.A. et al, J.O.C., 1971, 36, 2232 (synth)

Gelas, J. et al, Carbohydr. Res., 1974, 37, 293 (synth, ir, pmr)

Duclos, R.I. et al, J.O.C., 1992, 57, 6156 (synth, pmr)

**1,3-Dioxan-5-ol, 9CI D-0-11548**

Glycerol 1,3-methylene ether. 5-Hydroxy-1,3-dioxane

[4740-78-7]



C<sub>6</sub>H<sub>10</sub>O<sub>3</sub> M 104.1

Sl. viscous, hygroscopic liq. d<sub>4</sub><sup>20</sup> 1.23. Bp

191°, Bp<sub>11</sub> 82°, n<sub>D</sub><sup>20</sup> 1.4533.

Benzoyl: [49784-60-3].

C<sub>11</sub>H<sub>12</sub>O<sub>4</sub> M 208.2 Needles. Mp 74.6°.

Phenylurethane: needles (EtOH). Mp 133°.

Me ether: 5-Methoxy-1,3-dioxane

C<sub>7</sub>H<sub>10</sub>O<sub>3</sub> M 118.1 Bp 152°.

Hibbert, H. et al, J.A.C.S., 1928, 50, 3120 (synth)

v. Roon, J.D., Rec. Trav. Chim. (J. R. Neth. Chem. Soc.), 1929, 48, 186 (synth, props)

Showler, A.J. et al, Chem. Rev., 1967, 67, 427 (derivs, use)

**1,3-Dioxan-2-one D-0-11549**

Trimethylene carbonate

[2453-03-4]




C<sub>4</sub>H<sub>6</sub>O<sub>3</sub> M 102.0

Needles. Mp 47-48°. Bp<sub>1</sub> 135°. Readily reversibly polymerizes to a glass.

Carothers, W.H. et al, J.A.C.S., 1930, 52, 314 (synth, cryst struct)

Baba, A. et al, Tet. Lett., 1985, 26, 1323 (synth)

**[2-(1,3-Dioxan-2-yl)ethyl] triphenylphosphonium(1+), 9CI D-0-11550**



C<sub>24</sub>H<sub>26</sub>O<sub>2</sub>P<sup>+</sup> M 377.4 (ion)

Bromide: [69891-92-5].

C<sub>24</sub>H<sub>26</sub>BrO<sub>2</sub>P<sup>+</sup> M 457.3 With RLi → ylide. Solid. Mp 205-208°.

Ylide: [69891-57-2]. [2-(1,3-Dioxan-2-yl) ethylidene]triphenylphosphorane

C<sub>24</sub>H<sub>26</sub>O<sub>2</sub>P M 376.4 Wittig rgt., for chain extension of aldehydes and ketones. Used in leukotriene synth. Orange.

Aldrich Library of <sup>13</sup>C and <sup>1</sup>H FT NMR Spectra, 2, 1674B (nmr)


Aldrich Library of FT-IR Spectra, 1st edn., 2, 547C (ir)

Stowell, J.C. et al, Synthesis, 1979, 132 (synth, use)

Cohen, N. et al, J.A.C.S., 1983, 105, 3661 (use)

**2-(1,4-Dioxan-2-yl)-1,4-naphthoquinone D-0-11551**

[24161-37-3]



C<sub>14</sub>H<sub>12</sub>O<sub>4</sub> M 244.2

(±)-form

Yellow cryst. (Et<sub>2</sub>O). Mp 133-136° dec.

Piek, H., Tet. Lett., 1969, 1169 (synth, ir, ms, uv, pmr)


**8,12-Dioxo-4-oxoniadibenzo D-0-11552**

oxoniadibenzo[cd,mn]

pyrene(1+), 10CI

12cH-4,8,12-Trioxadibenzo[cd,mn]pyren-12c-ylum(1+), 9CI. Sesquioxanthylum

[25501-79-5]



C<sub>19</sub>H<sub>9</sub>O<sub>3</sub><sup>+</sup> M 285.2 (ion)

CAS names this ion in two ways with different reg. nos. Stable planar ion.

Chloride:

C<sub>19</sub>H<sub>9</sub>ClO<sub>3</sub> M 320.7 Yellow cryst. Mp 350°.

Chloride, dihydrate: Orange needles

(EtOH/Et<sub>2</sub>O). Mod. sol. H<sub>2</sub>O, EtOH, Me<sub>2</sub>CO; insol. Et<sub>2</sub>O, C<sub>6</sub>H<sub>6</sub>. Mp > 350°.

Ionised in H<sub>2</sub>O.

[64524-68-1, 138259-50-4]

Martin, J.C. et al, J.A.C.S., 1964, 86, 2252 (synth, uv, props)

Lofthagen, M. et al, J.O.C., 1992, 57, 61.

---

# NAMES, SYNONYMS, AND STRUCTURES OF ORGANIC COMPOUNDS

---

A CRC REFERENCE HANDBOOK

---

VOLUME I

CAS Number

50-00-0 to 2433-97-8

*Editors*

David R. Lide

G.W.A. Milne




CRC Press

Boca Raton Ann Arbor London Tokyo

---

מאת: ד"ר דוד ליד  
עורכים: ד"ר ג.ו.א. מילן  
כפרים הרמן למרצי הכפר



**Library of Congress Cataloging-in-Publication Data**

Catalog record is available from the Library of Congress.

Many of the structures provided herein are made available courtesy of a license from the National Institute of Standards and Technology which reserves all rights hereto.

This book contains information obtained from authentic and highly regarded sources. Reprinted material is quoted with permission, and sources are indicated. A wide variety of references are listed. Reasonable efforts have been made to publish reliable data and information, but the author and the publisher cannot assume responsibility for the validity of all materials or for the consequences of their use.

Neither this book nor any part may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, microfilming, and recording, or by any information storage or retrieval system, without prior permission in writing from the publisher.

CRC Press, Inc.'s consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific permission must be obtained in writing from CRC Press for such copying.

Direct all inquiries to CRC Press, Inc., 2000 Corporate Blvd., N.W., Boca Raton, Florida 33431.

© 1995 by CRC Press, Inc.

No claim to original U.S. Government works

International Standard Book Number 0-8493-0405-9

Printed in the United States of America 2 3 4 5 6 7 8 9 0

Printed on acid-free paper


Palmitin, 1,3-di-

4710

CAS RN: 502-56-7

Name: 5-Nonanone

MF:  $C_9H_{18}O$




Synonyms:  
Butyl ketone  
Dibutyl ketone

4711

CAS RN: 502-59-0

Name: 2-Heptanamine, 6-methyl-N-(3-methylbutyl)-

MF:  $C_{13}H_{29}N$



Synonyms:

N-(1,5-Dimethylhexyl)isopentylamine  
Hexylamine, N-isopentyl-1,5-dimethyl-  
2-Isoamylamino-6-methylheptane  
N-Isoamyl-1,5-dimethylhexylamine  
N-Isopentyl-1,5-dimethylhexylamine  
Ludoctal  
2-Methyl-6-(3-methylbutylamino)heptane  
Neo-octon  
Octamylamine  
Octin D  
Octinum D  
Octisamyl  
Octometine  
Oktin D

4712

CAS RN: 502-61-4

Name: 1,3,6,10-Dodecatetraene, 3,7,11-trimethyl-, (E,E)-

MF:  $C_{19}H_{34}$



Synonyms:

(E,E)- $\alpha$ -Farnesene  
 $\alpha$ -trans-trans-Farnesene  
 $\alpha$ -Farnesene  
trans- $\alpha$ -Farnesene  
trans,trans- $\alpha$ -Farnesene  
Farnesene  
trans-3,7,11-Trimethyl-1,3,6,10-dodecatetraene  
trans-2,6,10-Trimethyl-2,6,9,11-dodecatetraene

4713

CAS RN: 502-65-8

Name:  $\psi$ , $\psi$ -Carotene

MF:  $C_{40}H_{56}$

Synonyms:

C.I. 75125

2,6,8,10,12,14,16,18,20,22,24,26,30-

Dotriacontatridecaene,

2,6,10,14,19,23,27,31-octamethyl-, (all-E)-

Lycopene 7

trans-Lycopene

all-trans-Lycopene

Lycopene

Lycopene, all-trans-

(all-E)-2,6,10,14,19,23,27,31-

Octamethyl-

2,6,8,10,12,14,16,18,20,22,24,26,30-

dotriacontatridecaene

4714

CAS RN: 502-71-6

Name: Octadecanoic acid, 6-oxo-

MF:  $C_{18}H_{34}O_3$

Synonyms:

Lactarinic acid

Octadecanoic acid, 6-keto


6-Oxo-octadecanoic acid

4715

CAS RN: 502-72-7

Name: Cyclopentadecanone

MF:  $C_{15}H_{30}O$



Synonyms:

Exaltone

Normuscon

Normuscone

4716

CAS RN: 502-73-8

Name: 16-Hentriacontanone

MF:  $C_{31}H_{62}O$

Synonyms:

Dipentadecyl ketone

Palmitone

Pentadecyl ketone

4717

CAS RN: 502-75-0

Name: Hexadecanoic acid, 11-hydroxy-

MF:  $C_{16}H_{32}O_3$

Synonyms:

11-Hydroxyhexadecanoic acid


Jalapinolic acid

4718

CAS RN: 502-97-6

Name: 1,4-Dioxane-2,5-dione

MF:  $C_4H_4O_4$



Synonyms:

Acetic acid, hydroxy-, bimol. cyclic ester

Diglycolide

p-Dioxane-2,5-dione

Glycolide


Glycollide

4719

CAS RN: 502-99-8

Name: 1,3,7-Octatriene, 3,7-dimethyl-

MF:  $C_{10}H_{16}$



Synonyms:

3,7-Dimethyl-1,3,7-octatriene

2,6-Dimethyl-1,5,7-octatriene

$\alpha$ -Ocimene


Ocimene

4720

CAS RN: 503-01-5

Name: 5-Hepten-2-amine, N,6-dimethyl-

MF:  $C_9H_{19}N$



Synonyms:

2-Heptene, 2-methyl-6-methylamino

4-Hexenylamine, N,1,5-trimethyl-

Isomethhepten

Isomethheptene

Isonyl

6-Methylamino-2-methylheptene

Octanil

Octin

Octine

Octinum


Octon

4721

CAS RN: 503-09-3

Name: Oxirane, (fluoromethyl)-

MF:  $C_3H_5FO$



Synonyms:

Epifluorohydrin


1,2-Epoxy-3-fluoropropane

(Fluoromethyl)oxirane

3-Fluoropropene-1,2-oxide

Answer 1:

Registry Number: 502-97-6

Formula: C<sub>4</sub> H<sub>4</sub> O<sub>4</sub>

CA Index Name: 1,4-Dioxane-2,5-dione

Other Names: Glycolide (6CI,7CI); p-Dioxane-2,5-dione (8CI); Acetic acid, hydroxy-, bimol. cyclic ester; Diglycolide; Glycolide S; Glycolide; NSC 403079

## -- Resources --

References: ~377

STN Files: CAPLUS, AGRICOLA, BEILSTEIN, BIOSIS, BIOTECHNO, CA, CAOLD, CASREACT, CHEMCATS, CHEMLIST, CIN, CSCHEM, DETHERM, EMBASE, IFICDB, IFIPAT, IFIUIDB, PIRA, PROMT, SPECINFO, TOXCENTER, USPAT2, USPATFULL

(Additional Information is available through STN International. Contact your information specialist, a local CAS representative, or the CAS Help Desk for Assistance)

Deleted Registry Number(s): 162682-01-1

Database: REGISTRY (Copyright (C) 2008 ACS)

## Additional Information:

3D Model

Commercial Sources

Regulated Chemicals Listing

Reaction Information

Substance Identifier task started on Thu Mar 20, 2008 at 11:38 AM

Explored by Substance Identifier in REGISTRY.

REGISTRY Answers

1 for glycolide

Copyrights:

CAPLUS: Copyright © 2008 American Chemical Society. All Rights Reserved. (The UK patent material in this product/service is UK Crown copyright and is made available with permission. © Crown Copyright. The French (FR) patent material in this product/service is made available from Institut National de la Propriete Industrielle (INPI).)

MEDLINE: Produced by the U.S. National Library of Medicine

REGISTRY: Copyright © 2008 American Chemical Society. All Rights Reserved. (Some records contain information from GenBank(R). See also: Benson D.A., Karsch-Mizrachi I., Lipman D.J., Ostell J., Rapp B.A., Wheeler D.L. Genbank. Nucl. Acids Res. 28(1):15-18 (2000). Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.) CAS Registry is a service mark of the American Chemical Society.

CASREACT: Copyright © 2008 American Chemical Society. All Rights Reserved. (In addition to reactions indexed by CAS, CASREACT contains reactions derived from the following sources: ZIC/VINITI database (journals 1974-1999, patents 1982-1999) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.)

CHEMLIST, CHEMCATS: Copyright © 2008 American Chemical Society. All Rights Reserved.



Answer 1:

Accession Number: 74601 CHEMLIST

CAS Registry Number: 502-97-6

**Chemical Name**

1,4-Dioxane-2,5-dione (English, French) (TSCA, NDSL, EINECS, ENCS, ECL, ASIA-PAC)

1,4-dioxanne-2,5-dione (French) (EINECS)

1,4-Dioxan-2,5-dion (German) (EINECS)

1,4-dioxano-2,5-diona (Spanish) (EINECS)

Acetic acid, hydroxy-, bimol. cyclic ester

Diglycolide

Glycolide

Glycolide S

Glycollide

NSC 403079

p-Dioxane-2,5-dione

**File Segment**

ASIA-PACIFIC: ASIA-PAC; CANADA: NDSL; EEC: EINECS; JAPAN: ENCS; KOREA: ECL; USA: TSCA

**Confidentiality Status**

Public

**Regulatory List Number**

EINECS No.: 207-954-9

ENCS No.: 5-6815; 5-6865

ECL Serial No.: 2000-3-1401

**Inventory Status**

On TSCA Inventory

January 2008 TSCA Inventory

EPA Flags:

P Commenced PMN

On NDSL

Canada Gazette, Part I, January 31, 1998

On EINECS

Annex to Official Journal of the European Communities, 15 June 1990

On ENCS

Japanese Gazette, December 13, 2004; June 22, 2005

Contained within class: Low Molecular Heterocyclic Organic Compounds.

On ECL


Korean Government Gazette Notice, 2000

On ASIA-PAC

Database: CHEMLIST (COPYRIGHT (C) 2008 ACS)

## G1796 Glycolide

Sigma >99% **NEW**



Synonym	1,4-Dioxane-2,5-dione
Molecular Formula	C <sub>4</sub> H <sub>4</sub> O <sub>4</sub>
Molecular Weight	116.07
CAS Number	502-97-6
MDL number	MFCD00081108
EG/EC Number	207-954-9

[Expand/Collapse All](#)

### Price and Availability

[Click For Pricing and Availability](#)

### Properties

assay	>99%
mp	82-86(lit.)

### Safety

Hazard Codes	Xn
Risk Statements	22-36
Safety Statements	26
WGK Germany	3


**VigorSorb<sup>®</sup> GLY**

GLY-S-001-1

Revision Date : Jun 25, 2007

**I. Identification**

Product Number	GLY
Common Name	Glycolide
Chemical Formula	C <sub>4</sub> H <sub>4</sub> O <sub>4</sub>
Chemical name	1,4-dioxane-2,5-dione
CAS Registry Number	502-97-6
Chemical Structure	



Glycolide

**II. Specification**

Appearance	White crystalline solid	
Assay	> 99.5 ( % )	Acid-base titration
Melting Range	82-86°C	DSC(10°C/min)
Free acid	≤ 5 meq/kg	Acid-base titration
Water Content	≤ 0.03 ( % )	Karl-Fischer titration
Residual Solvent	≤ 0.1 ( % )	Gas Chromatography
Heavy Metal	≤ 10 ( ppm )	Inductively Coupled Plasma



# Library and --- Database Assignments for



---

# Undergraduate Chemistry Majors


Ann Bolek  
The University of Akron



## Abstract

---

At The University of Akron, undergraduate chemistry majors are given library and database assignments during their junior year in their Advanced Chemistry Laboratory classes. During the first semester, they are assigned searches in ,



## Abstract (continued)

---

whereas during the second semester, they are assigned searches in \_\_\_\_\_ and \_\_\_\_\_, the \_\_\_\_\_, the \_\_\_\_\_, various \_\_\_\_\_, and \_\_\_\_\_. This poster will list the sources used and provide examples of some of the searches assigned.

# SciFinder Scholar Searches

---


○

Search for

1,2,4-triazole

Asked to provide  
the total number of  
references

Asked to limit the  
references to  
“uses”





# SciFinder Scholar Searches


---

○

List commercial sources

Click on microscope

- For whom is compound named?
- How is it used?





## SciFinder Scholar Searches

---

○

List registry numbers retrieved

Provide the following for one " "


- 
- 
- 
- 
- 
-

## SciFinder Scholar Searches

---

- on various ways to find preparations and properties

on reaction of glycolic acid to form glycolide



Search "glycolide" as a and  
click on the A+B button.

Click on the for glycolide and list  
one and one



## SciFinder Scholar Searches

---

- (continued)

After searching for glycolide as a substance identifier, click on "Get References" and limit the search to **references associated with:**

Search the "  
" as a **research topic**. Disadvantages of searching in this manner are explained.



## Web of Science


---

- - Availability of an abstract
  - Number of cited references
  - Number of times cited
  - Availability in library or on the Web
- on University of Akron faculty
- on specific paper

## CrossFire Searches

---

- Structure search in \_\_\_\_\_ for the reaction of glycolic acid to form glycolide



- Molecular formula search in \_\_\_\_\_ for \_\_\_\_\_
- Registry number search in \_\_\_\_\_ ( ) and various types of \_\_\_\_\_



## Cambridge Structural Database

---

- Search by structure and print out results for closest match



## Printed Reference Books

---

- Chemical Abstracts Service Source Index ( )
- Dictionary of Organic/Inorganic Compounds
- Spectra ( )
- Organic Syntheses
- Inorganic Syntheses





## Web Resources

---

- Toxnet
- Integrated Spectral Data Base for Organic Compounds
- NIST Chemistry WebBook
- Organic Syntheses